



碧云天生物技术/Beyotime Biotechnology
订货热线：400-168-3301或800-8283301
订货e-mail：order@beyotime.com
技术咨询：info@beyotime.com
网址：http://www.beyotime.com

BeyoECL Plus (超敏ECL化学发光试剂盒)

产品编号	产品名称	包装
P0018	BeyoECL Plus (超敏ECL化学发光试剂盒)	共100ml

产品简介：

- 碧云天生产的Western萤光检测试剂BeyoECL Plus是一种超敏ECL化学发光试剂盒，与高灵敏度的ECL Plus非常相似的萤光检测试剂，可与二抗上耦连的辣根过氧化物酶发生化学反应，发出萤光，从而可以通过用X光片压片或其它适当萤光成像设备检测样品。
- BeyoECL Plus灵敏度极高，比DAB显色的灵敏度至少高200倍，比Amersham公司的ECL或碧云天以前生产的BeyoECL的灵敏度高20-50倍左右，比Pierce公司的SuperSignal West Pico Substrate的灵敏度高3-100倍。
- BeyoECL Plus的发光时间更长。在100微升1微克/毫升辣根过氧化物酶标记IgG中，加入100微升碧云天的BeyoECL Plus工作液或Pierce公司的SuperSignal West Pico Substrate工作液进行检测。在暗房中，两者均可发出肉眼可见的蓝色萤光，但加入BeyoECL工作液的试管内的亮度明显高很多。最初数分钟内加入BeyoECL Plus工作液的试管发光强度是加入SuperSignal West Pico Substrate工作液的试管的3倍。约30分钟后，加入BeyoECL Plus工作液的试管仍然可以发出肉眼可见的较强的蓝色萤光，而加入Pierce公司的SuperSignal West Pico Substrate工作液的试管发出的萤光已经很难用肉眼进行分辨，定量结果显示此时加入BeyoECL Plus工作液的试管发光强度是加入SuperSignal West Pico Substrate工作液的试管的100倍以上(参考图1)。




图1. BeyoECL Plus和Pierce公司SuperSignal West Pico效果比较图。详细的比较方法如上所述。

- BeyoECL Plus的高灵敏度可以大大节省宝贵的样品以及非常昂贵的一抗和二抗的用量。同时必须注意适当减少一抗和二抗或样品的用量，以免获得过深的难以比较灰度的条带。
- BeyoECL Plus采用了全新配方，更加稳定。BeyoECL Plus的两种试剂37°C水浴孵育30天，和4°C保存的试剂相比，对相同样品的检测效果无任何明显差异。
- BeyoECL Plus的背景很低，对PVDF膜和硝酸纤维素膜均适用。PVDF膜(FFP36/FFP39)和硝酸纤维素膜(FFN06)可以向碧云天订购。

包装清单：

产品编号	产品名称	包装
P0018-1	BeyoECL Plus A液	50ml
P0018-2	BeyoECL Plus B液	50ml
—	说明书	1份

保存条件：

4°C避光保存，一年有效。37°C避光保存，一个月有效。如果长期不用，可以-20°C避光保存。-20°C可以保存更长时间。

注意事项：

- BeyoECL Plus A液和B液在吸取过程中必须要更换枪头，A液和B液相互污染后会导致A液或B液逐渐失效，影响后续的使用效果。
- 各溶液使用后，请盖紧瓶盖，以防失效。特别是B液，含有氧化剂，比较容易被还原而失效。
- BeyoECL Plus的萤光持续时间很长，但开始反应后的30分钟内萤光更强一些，随后萤光会逐渐减弱，因此请注意充分利用这萤光较强的30分钟进行压片。
- 在BeyoECL Plus的检测灵敏度仍不足以满足实验需要时，请选择检测灵敏度更高的BeyoECL Star (P0018A)。

- BeyoECL Plus A液和B液均对人体有害，操作时请小心，并注意有效防护以避免直接接触人体或吸入体内。
- 本产品仅限于专业人员的科学的研究用，不得用于临床诊断或治疗，不得用于食品或药品，不得存放于普通住宅内。
- 为了您的安全和健康，请穿实验服并戴一次性手套操作。

使用说明：

1. Western实验步骤可以参考碧云天的相关网页：<http://www.beyotime.com/support/western.htm>。
2. **BeyoECL Plus工作液的配制：**等体积混合适量BeyoECL Plus A液和B液，室温放置备用。工作液宜在临检测前配制。
3. Western二抗孵育后，并进行数次洗涤后，用平头镊将膜取出，用吸水纸略吸去过多的液体(切勿接触膜的蛋白面)，然后置于一洁净保鲜膜上。
4. 根据膜的大小，按每10平方厘米膜加1ml BeyoECL Plus工作液的比例，滴加BeyoECL Plus工作液到膜上，确保使工作液均匀覆盖在膜上，放置1-2分钟。
5. 取膜，弃BeyoECL Plus工作液，用吸水纸略吸去过多的液体。将膜放在两片保鲜膜中间，随后进行压片检测或萤光成像仪检测。
6. **压片检测：**将膜固定于片夹内。暗室内压片1分钟，立即显影定影，根据结果再调整压片时间。或直接分别压片30秒、1、3、5分钟，然后一起显影定影观察结果。
7. **萤光成像仪检测：**将膜放置到萤光成像仪内，参考仪器说明书进行检测。

相关产品：

产品编号	产品名称	包装
P0018	BeyoECL Plus (超敏ECL化学发光试剂盒)	共100ml
P0018A	BeyoECL Star (特超敏ECL化学发光试剂盒)	共100ml
P0018F	BeyoECL Moon (极超敏ECL化学发光试剂盒)	共100ml
P0019	显影定影试剂盒	各1加仑
P0020	显影定影试剂盒	各1升

使用本产品的文献：

1. Sheng HU, Shi-min CHEN, Xiao-kuan LI, Rui QIN, Zhi-nan MEI. Antitumor effects of Chi-Shen extract from Salvia miltiorrhiza and Paeoniae radix on human hepatocellular carcinoma cells. *Acta Pharmacol Sin.* 2007 Aug;28 (8):1215-23.
2. Jin L, Tang RL. Study on Relationship between Cystic Fibrosis Transmembrane Conductance Regulator and Pathogenesis of Ovarian Hyperstimulation Syndrome. *Reproduction & Contraception.* 2007 Aug; 27(8):508-13.
3. Tang RL, Jin L. Expression of Cystic Fibrosis Transmembrane Conductance Regulator in Rat Ovary. *Journal of Xianning College (Medical Sciences).* 2008 Oct;28(5):584-7.
4. Xu Z, Lin S, Wu W, Tan H, Wang Z, Cheng C, Lu L, Zhang X. Ghrelin prevents doxorubicin-induced cardiotoxicity through TNF-alpha/NF-kappaB pathways and mitochondrial protective mechanisms. *Toxicology.* 2008 May 21;247(2-3):133-8.
5. Tian SL, Wang XY, Ding GH. Repeated electro-acupuncture attenuates chronic visceral hypersensitivity and spinal cord NMDA receptor phosphorylation in a rat irritable bowel syndrome model. *Life Sci.* 2008 Aug 29;83(9-10):356-63.
6. PENG Q, ZHU J. Expression of TWEAK on the Ectopic and Eutopic Endometrium from Women with Endometriosis. *Journal of Reproduction & Contraception.* 2008 Sep; 19(3):137-146.
7. Zheng LH, Bao YL, Wu Y, Yu CL, Meng X, Li YX. Cantharidin reverses multidrug resistance of human hepatoma HepG2/ADM cells via down-regulation of P-glycoprotein expression. *Cancer Lett.* 2008 Dec 8;272(1):102-9.
8. Shi Y, Cheng SG, Chen X, Xiao CG. Construction and identification of recombinant lentivirus-mediated gene transfer system for rat transducer of regulated CREB activity 1. *Journal of Nanjing Medical University.* 2008;22(5):304-7.
9. Li W, Liu Y, Zhang JW, Ai CZ, Xiang N, Liu HX, Yang L. Anti-androgen-independent prostate cancer effects of ginsenoside metabolites in vitro: mechanism and possible structure-activity relationship investigation. *Arch Pharm Res.* 2009 Jan;32(1):49-57.
10. Li ZD, Wu Y, Bao YL, Yu CL, Guan LL, Wang YZ, Meng XY, Li YX. Identification and characterization of human ARIP2 and its relation to breast cancer. *Cytokine.* 2009 May;46(2):251-9.
11. Tan S, Wang G, Peng M, Zhang X, Shen G, Jiang J, Chen F. Detection of myeloperoxidase activity in primary leukemic cells by an enhanced chemiluminescent assay for differentiation between acute lymphoblastic and non-lymphoblastic leukemia. *Clin Chim Acta.* 2009 May; 403(1-2):216-8.
12. He J, Sun H, Zhang D, Sun Y, Ma L, Chen L, Liu Z, Xiong C, Yan G, Zhu C. Cloning and characterization of 60S ribosomal protein L22 (RPL22) from *Culex pipiens pallens*. *Comp Biochem Physiol B Biochem Mol Biol.* 2009 Jun;153(2):216-22.
13. Liu J, Zhou R, He Q, Li WI, Zhang T, Niu B, Zheng X, Xie J. Calmodulin kinase II activation of mitogen-activated protein kinase in PC12 cell following all-trans retinoic acid treatment. *Neurotoxicology.* 2009 Jul;30(4):599-604.
14. Dong HS, Li L, Song ZH, Tang J, Xu B, Zhai XW, Sun LL, Zhang P, Li ZB, Pan QJ, Shi QH, Shen W. Premeiotic fetal murine germ cells cultured in vitro form typical oocyte-like cells but do not progress through meiosis. *Theriogenology.* 2009 Jul 15;72(2):219-31.
15. Wang H, Xu Y, Yan J, Zhao X, Sun X, Zhang Y, Guo J, Zhu C. Acteoside protects human neuroblastoma SH-SY5Y cells against beta-amyloid-induced cell injury. *Brain Res.* 2009 Aug 4;1283:139-47.
16. Li XY, He JL, Liu HT, Li WM, Yu C. Tetramethylpyrazine suppresses interleukin-8 expression in LPS-stimulated human umbilical vein endothelial cell by blocking ERK, p38 and nuclear factor-kappaB signaling pathways. *J Ethnopharmacol.* 2009 Aug 17;125(1):83-9.
17. Yuan MJ, Huang CX, Tang YH, Wang X, Huang H, Chen YJ, Wang T. A novel peptide ghrelin inhibits neural remodeling after myocardial infarction in rats. *Eur J Pharmacol.* 2009 Sep 15;618(1-3):52-7.
18. Chen Y, Wang J, Yao Y, Yuan W, Kong M, Lin Y, Geng D, Nie R. CRP regulates the expression and activity of tissue factor as well as tissue factor pathway inhibitor via NF-kappaB and ERK 1/2 MAPK pathway. *FEBS Lett.* 2009 Sep 3;583(17):2811-8.
19. Zhang JJ, Zhang RF, Meng XK. Protective effect of pyrroloquinoline quinone against Abeta-induced neurotoxicity in human neuroblastoma SH-SY5Y cells. *Neurosci Lett.* 2009 Oct 30;464(3):165-9.
20. Hua W, Jiang J, Rong X, Wu R, Qiu H, Zhang Y, Chen Q. The dual role of the cystathione gamma-lyase/hydrogen sulfide pathway in CVB3-induced myocarditis in mice. *Biochem Biophys Res Commun.* 2009 Oct 23;388(3):595-600.
21. Zeng W, Chen W, Leng X, He JG, Ma H. Chronic angiotensin-(1-7) administration improves vascular remodeling after angioplasty through the regulation of the TGF-beta/Smad signaling pathway in rabbits. *Biochem Biophys Res Commun.* 2009 Nov 6;389(1):138-44.
22. Huang CX, Yuan MJ, Huang H, Wu G, Liu Y, Yu SB, Li HT, Wang T. Ghrelin inhibits post-infarct myocardial remodeling and improves cardiac function through anti-inflammation effect. *Peptides.* 2009

- Dec;30(12):2286-91.
23. Li H, Zhang L, Huang Q. Differential expression of mitogen-activated protein kinase signaling pathway in the hippocampus of rats exposed to chronic unpredictable stress. *Behav Brain Res.* 2009 Dec 14;205(1):32-7.
 24. Liang QL, Wang BR, Li GH. DcR3 and survivin are highly expressed in colorectal carcinoma and closely correlated to its clinicopathologic parameters. *J Zhejiang Univ Sci B.* 2009;10(9):675-82.
 25. Wang HQ, Xu YX, Zhao XY, Zhao H, Yan J, Sun XB, Guo JC, Zhu CQ. Overexpression of F(0)F(1)-ATP synthase alpha suppresses mutant huntingtin aggregation and toxicity in vitro. *Biochem Biophys Res Commun.* 2009;390(4):1294-8.
 26. Zhang YM, Zhao TT, Deng HY. Effects of Neuregulins on Invasion and Metastasis of Non-overexpression ErbB2 Breast Cancer Cells. *Chin J Cancer Res.* 2009;21(2):115-21.
 27. Zhang SH, Zhao GF, Huang H, Lu KH, Hou YY. Increased Midkine and Estrogen Receptor-β Expression in Human Non-Small Cell Lung Cancer. *Chin J Cancer Res.* 2009;21(4): 255-64.
 28. Liang W, Cheng J, Liu R, Wang JP, Mu JG, Wang QH, Wang HJ, Ma D. Peptide corresponding to the C terminus of tissue factor pathway inhibitor inhibits mesangial cell proliferation and activation in vivo. *Peptides.* 2009;30(12):2330-6.
 29. Jin-qiao S, Bin S, Wen-hao Z, Yi Y. Basic fibroblast growth factor stimulates the proliferation and differentiation of neural stem cells in neonatal rats after ischemic brain injury. *Brain Dev.* 2009;31(5):331-40.
 30. Yang D, Qing Y, Min C. Incorporation of the chlorophyll d-binding light-harvesting protein from *Acaryochloris marina* and its localization within the photosynthetic apparatus of *Synechocystis* sp. PCC6803. *Biochim Biophys Acta.* 2010 Feb;1797(2):204-11.
 31. Sun J, Zhou W, Sha B, Yang Y. Ischemia induced neural stem cell proliferation and differentiation in neonatal rat involved vascular endothelial growth factor and transforming growth factor-beta pathways. *Brain Dev.* 2010 Mar;32(3):191-200.
 32. Li F, Gong QH, Wu Q, Lu YF, Shi JS. Icariin isolated from *Epimedium brevicornum Maxim* attenuates learning and memory deficits induced by d-galactose in rats. *Pharmacol Biochem Behav.* 2010;96(3):301-5.
 33. Wu J, Hu CP, Gu QH, Li YP, Song M. Trichostatin A sensitizes cisplatin-resistant A549 cells to apoptosis by up-regulating death-associated protein kinase. *Acta Pharmacol Sin.* 2010;31(1):93-101.
 34. Wu YF, Yang LJ, Zhong LW. Decreased serum levels of thioredoxin in patients with coronary artery disease plus hyperhomocysteinemia is strongly associated with the disease severity. *Atherosclerosis.* 2010 Sep;212(1):351-5.
 35. Song D, Liu X, Liu R, Yang L, Zuo J, Liu W. Connexin 43 hemichannel regulates H9c2 cell proliferation by modulating intracellular ATP and [Ca2+]. *Acta Biochim Biophys Sin (Shanghai).* 2010;42(7):472-82.
 36. Zhang Y, Zhou L, Bao YL, Wu Y, Yu CL, Huang YX, Sun Y, Zheng LH, Li YX. Butyrate induces cell apoptosis through activation of JNK MAP kinase pathway in human colon cancer RKO cells. *Chem Biol Interact.* 2010;185(3):174-81.
 37. Sun J, Sha B, Zhou W, Yang Y. VEGF-mediated angiogenesis stimulates neural stem cell proliferation and differentiation in the premature brain. *Biochem Biophys Res Commun.* 2010;394(1):146-52.
 38. Cao BY, Yang YP, Luo WF, Mao CJ, Han R, Sun X, Cheng J, Liu CF. Paeoniflorin, a potent natural compound, protects PC12 cells from MPP+ and acidic damage via autophagic pathway. *J Ethnopharmacol.* 2010; 131(1):122-9.
 39. Li H, Zhang L, Fang Z, Lin L, Wu C, Huang Q. Behavioral and neurobiological studies on the male progeny of maternal rats exposed to chronic unpredictable stress before pregnancy. *Neurosci Lett.* 2010;469(2):278-82.
 40. Wan YJ, Li YY, Xia W, Chen J, Lv ZQ, Zeng HC, Zhang L, Yang WJ, Chen T, Lin Y, Wei J, Xu SQ. Alterations in tumor biomarker GSTP gene methylation patterns induced by prenatal exposure to PFOS. *Toxicology.* 2010;274(1-3):57-64.
 41. Zhang ZW, Zhang QY, Zhou MT, Liu NX, Chen TK, Zhu YF, Wu L. Antioxidant inhibits HMGB1 expression and reduces pancreas injury in rats with severe acute pancreatitis. *Dig Dis Sci.* 2010;55(9):2529-36.
 42. Zhu J, Zhang J, Xiang D, Zhang Z, Zhang L, Wu M, Zhu S, Zhang R, Han W. Recombinant human interleukin-1 receptor antagonist protects mice against acute doxorubicin-induced cardiotoxicity. *Eur J Pharmacol.* 2010;643(2-3):247-53.
 43. Huang Z, Fang F, Wang J, Wong CW. Structural activity relationship of flavonoids with estrogen-related receptor gamma. *FEBS Lett.* 2010;584(1):22-6.
 44. Zhang Y, Bao YL, Wu Y, Yu CL, Sun Y, Li YX. Identification and characterization of the human SLC5A8 gene promoter. *Cancer Genet Cytogenet.* 2010;196(2):124-32.
 45. Wang JJ, Li YH, Liu YH, Song J, Guo FJ, Li YL, Li GC. The ability of human bispecific anti-idiotype antibody to elicit humoral and cellular immune responses in mice. *Int Immunopharmacol.* 2010;10(6):707-12.
 46. Ma M, Ma J, Shi Y, Wu H, Zhao W, Huang W, Jiao Y, Tan D. Prokaryotic expression, purification, and production of polyclonal antibody against novel human serum inhibited related protein I(SI). *Protein J.* 2010;29(2):75-80.
 47. Wang Y, Fang F, Wong CW. Troglitazone is an estrogen-related receptor alpha and gamma inverse agonist. *Biochem Pharmacol.* 2010; 80(1):80-5.
 48. Zheng YL, Lu XL, Lin J, Chen HM, Yan XJ, Wang F, Xu WF. Direct effects of faspaclysin on human umbilical vein endothelial cells attributing the anti-angiogenesis activity. *Biomed Pharmacother.* 2010 Oct;64(8):527-33.
 49. Wang D, Wang Z, Tian J, He X, Chowdhury WH, Zhang X, Li S, Rodriguez R. Prostate stem cell antigen enhancer and uroplakin II promoter based bladder cancer targeted tissue-specific vector. *Urol Oncol.* 2010 Mar-Apr;28(2):164-9.
 50. Li S, Chen X, Ding Y, Liu X, Wang Y, He J. Expression of translationally controlled tumor protein (TCTP) in the uterus of mice of early pregnancy and its possible significance during embryo implantation. *Hum Reprod.* 2011 Nov;26(11):2972-80.
 51. Wang Q, Zhao G, Xing S, Zhang L, Yang X. Role of bone morphogenetic proteins in form-deprivation myopia sclera. *Mol Vis.* 2011 Mar 8; 17:647-57.
 52. Ouyang D, Zhang Y, Xu L, Li J, Zha Q, He X. Histone deacetylase inhibitor valproic acid sensitizes B16F10 melanoma cells to curcubitacin B treatment. *Acta Biochim Biophys Sin (Shanghai).* 2011 Jun; 43(6):487-95.
 53. Zhao L, Hao J, Hu J, Wang Q, Lü Z, Wang L, Yu Q, Wang Y, Li G. Expression of proliferin-related protein in testis and the biological significance in testosteroneproduction. *Mol Cell Endocrinol.* 2011 Aug 22;343(1-2):25-31.
 54. Xu JY, Zhu WJ, Cao XZ, Li XF, Wu J. Aberrant expression of the von Hippel-Lindau gene in human endometrial hyperplasia and endometrial carcinoma. *Int J Gynecol Cancer.* 2011 Apr;21(3):430-4.
 55. Li Y, Zhang SF, Zou SE, Xia X, Bao L. Accumulation of nerve growth factor and its receptors in the uterus and dorsal root ganglia in a mouse model of adenomyosis. *Reprod Biol Endocrinol.* 2011 Mar 8;9:30.
 56. Xu T, Yu CY, Sun JJ, Liu Y, Wang XW, Pi LM, Tian YQ, Zhang X. Bone morphogenetic protein-4-induced epithelial-mesenchymal transition and invasiveness through Smad1-mediated signal pathway in squamous cell carcinoma of the head and neck. *Arch Med Res.* 2011 Feb;42(2):128-37.
 57. Xia W, Wan YJ, Wang X, Li YY, Yang WJ, Wang CX, Xu SQ. Sensitive bioassay for detection of PPAR α potentially hazardous ligands with gold nanoparticle probe. *J Hazard Mater.* 2011 Sep 15;192(3):1148-54.
 58. Zhou W, Cui S, Han S, Cheng B, Zheng Y, Zhang Y. Palladin is a novel binding partner of ILKAP in eukaryotic cells. *Biochem Biophys Res Commun.* 2011 Aug 12;411(4):768-73.
 59. Wu T, Jia L, Du R, Tao X, Chen J, Cheng B. Genome-wide analysis reveals the active roles of keratinocytes in oral mucosal adaptive immuneresponse. *Exp Biol Med (Maywood).* 2011 Jul 1;236(7):832-43.
 60. Gao M, Wang J, Wang W, Liu J, Wong CW. Phosphatidylinositol 3-kinase affects mitochondrial function in part through inducing peroxisome-proliferator-activated receptor γ coactivator-1 β expression. *Br J Pharmacol.* 2011 Feb;162(4):1000-8.
 61. Xia W, Wan Y, Li YY, Zeng H, Lv Z, Li G, Wei Z, Xu SQ. PFOS prenatal exposure induce mitochondrial injury and gene expression change in hearts of weaned SD rats. *Toxicology.* 2011 Mar 28;282(1-2):23-9.
 62. Zeng HC, Zhang L, Li YY, Wang YJ, Xia W, Lin Y, Wei J, Xu SQ. Inflammation-like glial response in rat brain induced by prenatal PFOS exposure. *Neurotoxicology.* 2011 Jan;32(1):130-9.
 63. Pan L, Gong Z, Zhong Z, Dong Z, Liu Q, Le Y, Guo J. Lin-28 reactivation is required for let-7 repression and proliferation in human small cell lung cancer cells. *Mol Cell Biochem.* 2011 Sep; 355(1-2):257-63.
 64. Li X, Liu G, Cai S, Guo L, Liu X. Human T lymphoblast cell line

- expresses FP receptor. *Curr Eye Res.* 2011 Jul;36(7):680-2.
65. Gao LW, Zhang J, Yang WH, Wang B, Wang JW. Glucocalyxin A induces apoptosis in human leukemia HL-60 cells through mitochondria-mediated death pathway. *Toxicol In Vitro.* 2011 Feb;25(1):51-63.
 66. Liang S, Huang C, Jia S, Wang B. Activated leukocyte cell adhesion molecule expression is up-regulated in the development of endometrioid carcinoma. *Int J Gynecol Cancer.* 2011 Apr;21(3):523-8.
 67. Liu Y, Zhang X, Qiu Y, Huang D, Zhang S, Xie L, Qi L, Yu C, Zhou X, Hu G, Tian Y. Clinical significance of EphA2 expression in squamous-cell carcinoma of the head and neck. *J Cancer Res Clin Oncol.* 2011 May;137(5):761-9.
 68. Zhang LL, Zhang JR, Guo K, Ji H, Zhang Y, Jiang SX. Effects of fluoroquinolones on CYP4501A and 3A in male broilers. *Res Vet Sci.* 2011 Feb;90(1):99-105.
 69. Kong FL, Cheng W, Chen J, Liang Y. d-Ribose glycates β (2)-microglobulin to form aggregates with high cytotoxicity through a ROS-mediated pathway. *Chem Biol Interact.* 2011 Oct 15;194(1):69-78.
 70. Li X, Lian LH, Bai T, Wu YL, Wan Y, Xie WX, Jin X, Nan JX. Cryptotanshinone inhibits LPS-induced proinflammatory mediators via TLR4 and TAK1 signaling pathway. *Int Immunopharmacol.* 2011 Nov;11(11):1871-6.
 71. Kong X, Zhang C, Jin X, Wu X, Zhang S, Zhong Z, Feng Q, Liu T, Yuan H. The effect of HMGB1 A box on lung injury in mice with acute pancreatitis. *Biofactors.* 2011 Jul;37(4):323-7.
 72. Feng S, Cong S, Zhang X, Bao X, Wang W, Li H, Wang Z, Wang G, Xu J, Du B, Qu D, Xiong W, Yin M, Ren X, Wang F, He J, Zhang B. MicroRNA-192 targeting retinoblastoma 1 inhibits cell proliferation and induces cell apoptosis in lung cancer cells. *Nucleic Acids Res.* 2011 Aug;39(15):6669-78.
 73. You J, Xu Y, He M, McAllister TA, Thacker PA, Li X, Wang T, Jin L. Protection of mice against enterotoxigenic *E. coli* by immunization with a polyvalent enterotoxin comprising a combination of LT_B, ST_A, and ST_B. *Appl Microbiol Biotechnol.* 2011 Mar;89(6):1885-93.
 74. Guo LL, Pan Y, Zhu XJ, Tan LY, Xu QJ, Jin HM. Conventional, but not high-purity, dialysate-induced monocyte apoptosis is mediated by activation of PKC-delta and inflammatory factors release. *Nephrol Dial Transplant.* 2011 May;26(5):1516-22.
 75. Ning B, Bai M, Shen W. Reduced glutathione protects human hepatocytes from palmitate-mediated injury by suppressing endoplasmic reticulum stress response. *Hepatogastroenterology.* 2011 Sep-Oct; 58(110-111):1670-9.
 76. Zhang X, Liu X, Shang H, Xu Y, Qian M. Monocyte chemoattractant protein-1 induces endothelial cell apoptosis in vitro through a p53-dependent mitochondrial pathway. *Acta Biochim Biophys Sin (Shanghai).* 2011 Oct;43(10):787-95.
 77. Ling Y, Chunli L, Xiaohou W, Qiaoling Z. Involvement of the PLC ϵ /PKC ϵ pathway in human BIU-87 bladder cancer cell proliferation. *Cell Biol Int.* 2011 Oct;35(10):1031-6.
 78. Peng B, Guo QL, He ZJ, Ye Z, Yuan YJ, Wang N, Zhou J. Remote ischemic postconditioning protects the brain from global cerebral ischemia/reperfusion injury by up-regulating endothelial nitric oxide synthase through the PI3K/Akt pathway. *Brain Res.* 2012 Mar 22; 1445:92-102.
 79. Shen X, Wang C, Zhu Q, Li T, Yu L, Zheng W, Fei C, Qiu M, Xue F. Effect of the diclazuril on Hsp90 in the second-generation merozoites of *Eimeria tenella*. *Vet Parasitol.* 2012 Apr 30;185(2-4):290-5.
 80. Fei J, Li Y, Zhu X, Luo X. miR-181a post-transcriptionally downregulates oncogenic RalA and contributes to growth inhibition and apoptosis in chronic myelogenous leukemia (CML). *PLoS One.* 2012;7(3):e32834.
 81. Han X, Wang Y, Liu X, Jiang L, Ren Y, Liu F, Peng C, Li J, Jin X, Wu F, Wang J, Guo X, Zhang X, Cheng Z, Wan J. The failure to express a protein disulphide isomerase-like protein results in a floury endosperm and an endoplasmic reticulum stress response in rice. *J Exp Bot.* 2012 Jan;63(1):121-30.
 82. Su F, Yuan L, Zhang L, Hu S. Ginsenosides Rg1 and Re act as adjuvant via TLR4 signaling pathway. *Vaccine.* 2012 Jun 8;30(27):4106-12.
 83. Zhou W, Xiong Z, Liu Y, Yao C, Li C. Low voltage irreversible electroporation induced apoptosis in HeLa cells. *J Cancer Res Ther.* 2012 Jan-Mar;8(1):80-5.
 84. Wei X, Chen J, Su F, Su X, Hu T, Hu S. Stereospecificity of ginsenoside Rg3 in promotion of the immune response to ovalbumin in mice. *Int Immunol.* 2012 Jul;24(7):465-71.
 85. Xu JY, Zhu WJ, Jiang H. Increased expression of the von Hippel-Lindau gene in the implantation site of human tubal pregnancy. *Mol Cell Biochem.* 2012 Sep;368(1-2):173-9.
 86. Sun WK, Lu X, Li X, Sun QY, Su X, Song Y, Sun HM, Shi Y. Dectin-1 is inducible and plays a crucial role in *Aspergillus*-induced innate immune responses in human bronchial epithelial cells. *Eur J Clin Microbiol Infect Dis.* 2012 Oct;31(10):2755-64.
 87. Wan Y, Wu YL, Lian LH, Xie WX, Li X, Ouyang BQ, Bai T, Li Q, Yang N, Nan JX. The anti-fibrotic effect of betulinic acid is mediated through the inhibition of NF- κ B nuclear protein translocation. *Chem Biol Interact.* 2012 Feb 5;195(3):215-23.
 88. Nie YC, Wu H, Li PB, Xie LM, Luo YL, Shen JG, Su WW. Naringin attenuates EGF-induced MUC5AC secretion in A549 cells by suppressing the cooperative activities of MAPKs-AP-1 and IKKs-I κ B-NF- κ B signaling pathways. *Eur J Pharmacol.* 2012 Sep 5; 690(1-3):207-13.
 89. Miao M, Niu Y, Xie T, Yuan B, Qing C, Lu S. Diabetes-impaired wound healing and altered macrophage activation: a possible pathophysiological correlation. *Wound Repair Regen.* 2012 Mar-Apr;20(2):203-13.
 90. Fang S, Lin C, Zhang Q, Wang L, Lin P, Zhang J, Wang X. Anticancer potential of aqueous extract of alocasia macrorrhiza against hepatic cancer in vitro and in vivo. *J Ethnopharmacol.* 2012 Jun 14; 141(3):947-56.
 91. Dong H, Mao S, Wei J, Liu B, Zhang Z, Zhang Q, Yan M. Tanshinone IIA protects PC12 cells from β -amyloid(25-35)-induced apoptosis via PI3K/Akt signaling pathway. *Mol Biol Rep.* 2012 Jun;39(6):6495-503.
 92. Ku Z, Shi J, Liu Q, Huang Z. Development of murine monoclonal antibodies with potent neutralization effects on enterovirus71. *J Virol Methods.* 2012 Dec;186(1-2):193-7.
 93. Zhou D, Hao S, Sun Y, Chen L, Xiong C, Ma L, Zhang D, Hong S, Shi L, Gong M, Zhou H, Yu X, Shen B, Zhu C. Cloning and characterization of prophenoloxidase A3 (proPOA3) from *Culex pipiens pallens*. *Comp Biochem Physiol Mol Biol.* 2012 Aug;162(4):57-65.
 94. Zhu X, Li Y, Luo X, Fei J. Inhibition of small GTPase RalA regulates growth and arsenic-induced apoptosis in chronic myeloid leukemia (CML) cells. *Cell Signal.* 2012 Jun;24(6):1134-40.
 95. Zhu JS, Ouyang DY, Shi ZJ, Xu LH, Zhang YT, He XH. Cucurbitacin B induces cell cycle arrest, apoptosis and autophagy associated with G actin reduction and persistent activation of cofilin in Jurkat cells. *Pharmacology.* 2012;89(5-6):348-6.
 96. Ren S, Ouyang DY, Saltis M, Xu LH, Zha QB, Cai JY, He XH. Anti-proliferative effect of 23,24-dihydrocucurbitacin F on human prostate cancer cells through induction of actin aggregation and cofilin-actin rod formation. *Cancer Chemother Pharmacol.* 2012 Sep; 70(3):415-24.
 97. Nie YC, Wu H, Li PB, Luo YL, Zhang CC, Shen JG, Su WW. Characteristic comparison of three rat models induced by cigarette smoke or combined with LPS: To establish a suitable model for study of airway mucus hypersecretion in chronic obstructive pulmonary disease. *Pulm Pharmacol Ther.* 2012 Oct;25(5):349-56.
 98. Tang RX, Kong FY, Fan BF, Liu XM, You HJ, Zhang P, Zheng KY. HBx activates FasL and mediates HepG2 cell apoptosis through MLK3-MKK7-JNKs signal module. *World J Gastroenterol.* 2012 Apr 7;18(13):1485-95.
 99. Zhao D, Lin F, Wu X, Zhao Q, Zhao B, Lin P, Zhang Y, Yu X. Pseudolaric acid B induces apoptosis via proteasome-mediated Bcl-2 degradation in hormone-refractory prostate cancer DU145 cells. *Toxicol In Vitro.* 2012 Jun;26(4):595-602.
 100. Du Z, Yang Y, Hu Y, Sun Y, Zhang S, Peng W, Zhong Y, Huang X, Kong W. A long-term high-fat diet increases oxidative stress, mitochondrial damage and apoptosis in the inner ear of D-galactose-induced aging rats. *Hear Res.* 2012 May;287(1-2):15-24.
 101. Wu J, Zhu W, Fu H, Zhang Y, Sun J, Yang W, Li Y. DNA-PKcs interacts with Aire and regulates the expression of toll-like receptors in RAW264.7 cells. *Scand J Immunol.* 2012 May;75(5):479-88.
 102. Shi ZJ, Ouyang DY, Zhu JS, Xu LH, He XH. Histone deacetylase inhibitor suberoylanilide hydroxamic acid exhibits anti-inflammatory activities through induction of mitochondrial damage and apoptosis in activated lymphocytes. *Int Immunopharmacol.* 2012 Apr;12(4):580-7.
 103. Chen C, Chen C, Wang Z, Wang L, Yang L, Ding M, Ding C, Sun Y, Lin Q, Huang X, Du X, Zhao X, Wang C. Puerarin induces mitochondria-dependent apoptosis in hypoxic human pulmonary arterial smooth muscle cells. *PLoS One.* 2012;7(3):e34181.

- 104.Tao SF, Zhang CS, Guo XL, Xu Y, Zhang SS, Song JR, Li R, Wu MC, Wei LX. Anti-tumor effect of 5-aza-2'-deoxycytidine by inhibiting telomerase activity in hepatocellularcarcinoma cells. *World J Gastroenterol.* 2012 May 21;18(19):2334-43.
- 105.Zhang Y, Xu Y, Zhu Q, Zhao F, Luo J, Zhang X, Wang X. Upregulation of dysbindin in temporal lobe epileptic foci of human and experimental animals. *Synapse.* 2012 Jul;66(7):622-9.
- 106.Zhang LJ, Pan B, Chen B, Zhang XF, Liang GJ, Feng YN, Wang LQ, Ma JM, Li L, Shen W. Expression and epigenetic dynamics of transcription regulator Lhx8 during mouse oogenesis. *Gene.* 2012 Sep 10;506(1):1-9.
- 107.Lian LH, Jin Q, Song SZ, Wu YL, Bai T, Jiang S, Li Q, Yang N, Nan JX. Ginsenoside Rh2 Downregulates LPS-Induced NF- κ B Activation through Inhibition of TAK1 Phosphorylation inRAW 264.7 Murine Macrophage. *Evid Based Complement Alternat Med.* 2013;2013:646728.
- 108.Yasen M, Fei Q, Hutton WC, Zhang J, Dong J, Jiang X, Zhang F. Changes of number of cells expressing proliferation and progenitor cell markers with age in rabbit intervertebraldiscs. *Acta Biochim Biophys Sin (Shanghai).* 2013 May;45(5):368-76.
- 109.Wang CQ, Zhang J, Sun YF, Wang D, Li CJ, Li WH, Lu C, Liu Z, Wu H, Hou XF, Chen C, Zhou X. Detection of Neurotrophin-4 (NT-4) in Ejaculated Bull Spermatozoa and its Effect on Spermatozoa Mitochondrial Activity. *Reprod Domest Anim.* 2013 Feb;48(1):131-6.
- 110.Wang Z, Yan J, Zheng Q, Wang Z, Li J, Zhang X, Zhang S. Effects of biodegradable Mg-Zn alloy extracts on cell cycle of intestinal epithelial cells. *J Biomater Appl.* 2013 Feb;27(6):739-47.
- 111.Liu XL, Li G, Wang ZH, Zhao WJ, Wang LP. Increased expression of Dock180 protein in the noninfarcted myocardium in rats. *J Chin Med Assoc.* 2013 Mar;76(3):164-8.
- 112.Zhang X, Li G, Zhang L, Yang D, Zhang Z, Yan A, Linghu H. C3G overexpression promotes the survival of rat-derived H9C2 cardiomyocytes via p-ERK1/2. *Cell Biol Int.* 2013 Oct;37(10):1106-13.
- 113.Bai T, Lian LH, Wu YL, Wan Y, Nan JX. Thymoquinone attenuates liver fibrosis via PI3K and TLR4 signaling pathways in activated hepatic stellate cells. *Int Immunopharmacol.* 2013 Feb;15(2):275-81.
- 114.Yin H, Guo C, Wang Y, Liu D, Lv Y, Lv F, Lu Z. Fengycin inhibits the growth of the human lung cancer cell line 95D through reactive oxygen species productionand mitochondria-dependent apoptosis. *Anticancer Drugs.* 2013 Jul;24(6):587-98.
- 115.Mao XM, Sun ZH, Liang BR, Wang ZB, Feng WH, Huang FL, Li YQ. Positive feedback regulation of stgR expression for secondary metabolism in Streptomyces coelicolor. *J Bacteriol.* 2013 May; 195(9):2072-8.
- 116.Tang Y, Wang YL, Yang L, Xu JX, Xiong W, Xiao M, Li M. Inhibition of arginine ADP-ribosyltransferase 1 reduces the expression of poly(ADP-ribose) polymerase-1 in coloncarcinoma. *Int J Mol Med.* 2013 Jul;32(1):130-6.
- 117.Wang XQ, Hu GH, Kang HY, Shen Y, Hong SL. Significance of the IL-6 pathway in nasal polypsis in Chinese patients. *Asian Pac J Allergy Immunol.* 2013 Mar;31(1):11-9.
- 118.Luo B, Jiang M, Yang X, Zhang Z, Xiong J, Schluessener HJ, Zhang Z, Wu Y. Erythropoietin is a hypoxia inducible factor-induced protective molecule in experimental autoimmune neuritis. *Biochim Biophys Acta.* 2013 Apr 17;1832(8):1260-1270.
- 119.Li BL, Lu C, Lu W, Yang TT, Qu J, Hong X, Wan XP. miR-130b is an EMT-related microRNA that targets DICER1 for aggression in endometrial cancer. *Med Oncol.* 2013 Mar;30(1):484.
- 120.Li K, Dan Z, Hu X, Ouzhu M, Ciren Y, Wang Z, Wang J, Yang X, Ze Y. CD14 overexpression upregulates TNF- α -mediated inflammatory responses and suppresses the malignancy ofgastric carcinoma cells. *Mol Cell Biochem.* 2013 Apr;376(1-2):137-43.
- 121.Zhang YT, Ouyang DY, Xu LH, Zha QB, He XH. Formation of cofilin-actin rods following cucurbitacin-B-induced actin aggregation depends on slingshothomolog 1-mediated cofilin hyperactivation. *J Cell Biochem.* 2013 Oct;114(10):2415-29.
- 122.Zhang S, Qi Y, Zhang H, He W, Zhou Q, Gui S, Wang Y. Melatonin inhibits cell growth and migration, but promotes apoptosis in gastric cancer cell line, SGC7901. *Biotech Histochem.* 2013 Aug;88(6):281-9.
- 123.Cao R, Jia J, Ma X, Zhou M, Fei H. Membrane Localized Iridium(III) Complex Induces Endoplasmic Reticulum Stress and Mitochondria-MediatedApoptosis in Human Cancer Cells. *J Med Chem.* 2013 May 9;56(9):3636-44.
- 124.Gao YD, Zheng JW, Li P, Cheng M, Yang J. Store-Operated Ca(2+) Entry is involved in Transforming Growth Factor- β 1 Facilitated Proliferation of Rat Airway Smooth Muscle Cells. *J Asthma.* 2013 Jun;50(5):439-48.
- 125.Wang C, Han C, Li T, Yang D, Shen X, Fan Y, Xu Y, Zheng W, Fei C, Zhang L, Xue F. Nuclear translocation and accumulation of glyceraldehyde-3-phosphate dehydrogenase involved in diclazuril-induced apoptosis in *Eimeria tenella* (E. tenella). *Vet Res.* 2013 May 7;44(1):29.
- 126.Qiao J, Xu LH, He J, Ouyang DY, He XH. Cucurbitacin E exhibits anti-inflammatory effect in RAW 264.7 cells via suppression of NF- κ B nucleartranslocation. *Inflamm Res.* 2013 May;62(5):461-9.
- 127.Wang J, Yan DW, Yuan TT, Gao X, Lu YT. A gain-of-function mutation in IAA8 alters Arabidopsis floral organ development by change of jasmmonic acid level. *Plant Mol Biol.* 2013 May;82(1-2):71-83.
- 128.Wang C, Ma W, Su Y. NF- κ B Pathway Contributes to Cadmium-Induced Apoptosis of Porcine Granulosa Cells. *Biol Trace Elel Res.* 2013 Jun;153(1-3):403-10.
- 129.Chu X, You H, Yuan X, Zhao W, Li W, Guo X. Protective effect of lentivirus-mediated siRNA targeting ADAMTS-5 on cartilage degradation in a rat model ofosteoarthritis. *Int J Mol Med.* 2013 May;31(5):1222-8.
- 130.Pan Y, Shu JL, Gu HF, Zhou DC, Liu XL, Qiao QY, Fu SK, Gao FH, Jin HM. Erythropoietin improves insulin resistance via the regulation of its receptor-mediated signaling pathways in 3T3L1adipocytes. *Mol Cell Endocrinol.* 2013 Mar 10;367(1-2):116-23.
- 131.Zhang C, Zhao J, Deng H. 17 β -Estradiol up-regulates miR-155 expression and reduces TP53INP1 expression in MCF-7 breast cancer cells. *Mol Cell Biochem.* 2013 Jul;379(1-2):201-11.
- 132.Shen R, Xie F, Shen H, liu Q, Zheng T, Kou X, Wang D, Yang J. Negative correlation of LIV-1 and E-cadherin expression in hepatocellular carcinoma cells. *PLoS One.* 2013;8(2):e56542.
- 133.Zhang Z, Wang H, Sun Y, Li H, Wang N. Klf7 modulates the differentiation and proliferation of chicken preadipocyte. *Acta Biochim Biophys Sin (Shanghai).* 2013 Apr;45(4):280-8.
- 134.Jia Q, Zhang X, Deng T, Gao J. Positive correlation of Oct4 and ABCG2 to chemotherapeutic resistance in CD90(+)CD133(+) liver cancer stemcells. *Cell Reprogram.* 2013 Apr;15(2):143-50.
- 135.Ku Z, Ye X, Huang X, Cai Y, Liu Q, Li Y, Su Z, Huang Z. Neutralizing antibodies induced by recombinant virus-like particles of enterovirus 71 genotype C4 inhibit infectionat pre- and post-attachment steps. *PLoS One.* 2013;8(2):e57601.
- 136.Cai Y, Liu Q, Huang X, Li D, Ku Z, Zhang Y, Huang Z. Active immunization with a Coxsackievirus A16 experimental inactivated vaccine induces neutralizing antibodiesand protects mice against lethal infection. *Vaccine.* 2013 Apr 26;31(18):2215-21.
- 137.Gao L, Song JR, Zhang JW, Zhao X, Zhao QD, Sun K, Deng WJ, Li R, Lv G, Cheng HY, Wei LX. Chloroquine promotes the anticancer effect of TACE in a rabbit VX2 liver tumor model. *Int J Biol Sci.* 2013;9(4):322-30.
- 138.He J, Wang Y, Xu LH, Qiao J, Ouyang DY, He XH. Cucurbitacin IIa induces caspase-3-dependent apoptosis and enhances autophagy in lipopolysaccharide-stimulated RAW 264.7 macrophages. *Int Immunopharmacol.* 2013 May;16(1):27-34.
- 139.Lin C, Wang L, Wang H, Yang L, Guo H, Wang X. Tanshinone II A inhibits breast cancer stem cells growth in vitro and in vivo through attenuation of IL-6/STAT3/NF- κ B signaling pathways. *J Cell Biochem.* 2013 Sep;114(9):2061-70.
- 140.Yu Y, Schachner M. Syntenin-a promotes spinal cord regeneration following injury in adult zebrafish. *Eur J Neurosci.* 2013 Jul; 38(2):2280-9.
- 141.Liu J, Wang Y, Du W, Liu W, Liu F, Zhang L, Zhang M, Hou M, Liu K, Zhang S, Yu B. Wnt1 inhibits hydrogen peroxide-induced apoptosis in mouse cardiac stem cells. *PLoS One.* 2013;8(3):e58883.
- 142.Wang CM, Liu MY, Wang F, Wei MJ, Wang S, Wu CF, Yang JY. Anti-amnesic effect of pseudoginsenoside-F11 in two mouse models of Alzheimer's disease. *Pharmacol Biochem Behav.* 2013 May;106:57-67.
- 143.Liu Y, Wang DK, Jiang DZ, Qin X, Xie ZD, Wang QK, Liu M, Chen LM. Cloning and functional characterization of novel variants and tissue-specific expression of alternative amino andcarboxyl termini of products of slc4a10. *PLoS One.* 2013;8(2):e55974.
- 144.Luo W, Liu Z, Tan D, Zhang Q, Peng H, Wang Y, Tan Y. Gamma-amino butyric acid and the A-type receptor suppress decidualization of mouse uterine stromal cells bydown-regulating cyclin D3. *Mol Reprod Dev.* 2013 Jan;80(1):59-69.

- 145.Li Z, Sun C, Zhang T, Mo J, Shi Q, Zhang X, Yuan M, Chen L, Mao X, Yu R, Zhou X. Geranylgeranyltransferase I mediates BDNF-induced synaptogenesis. *J Neurochem*. 2013 Jun;125(5):698-712.
- 146.Wang L, Guo H, Yang L, Dong L, Lin C, Zhang J, Lin P, Wang X. Morusin inhibits human cervical cancer stem cell growth and migration through attenuation of NF- κ B activity and apoptosis induction. *Mol Cell Biochem*. 2013 Jul;379(1-2):7-18.
- 147.Ouyang DY, Xu LH, He XH, Zhang YT, Zeng LH, Cai JY, Ren S. Autophagy is differentially induced in prostate cancer LNCaP, DU145 and PC-3 cells via distinct splicing profiles of ATG5. *Autophagy*. 2013 Jan;9(1):20-32.
- 148.Lü BB, Li XJ, Sun WW, Li L, Gao R, Zhu Q, Tian SM, Fu MQ, Yu HL, Tang XM, Zhang CL, Dong HS. AtMYB44 regulates resistance to the green peach aphid and diamondback moth by activating EIN2-affected defences in *Arabidopsis*. *Plant Biol (Stuttg)*. 2013 Sep; 15(5):841-50.
- 149.Liu B, Chen Q, Tian D, Wu L, Dong H, Wang J, Ji B, Zhu X, Cai Q, Wang L, Zhang S. BMP4 reverses multidrug resistance through modulation of BCL-2 and GDNF in glioblastoma. *Brain Res*. 2013 Apr 24;1507:115-24.
- 150.Chen L, Han F, Qu H, Yan H, Ren L, Yang S. Combination therapy with 5-amino-4-imidazolecarboxamide riboside and arsenic trioxide in acute myeloid leukemia cells involving AMPK/TSC2/mTOR pathway. *Pharmazie*. 2013 Feb;68(2):117-23.
- 151.Zhu S, Liu W, Ke X, Li J, Hu R, Cui H, Song G. Artemisinin reduces cell proliferation and induces apoptosis in neuroblastoma. *Oncol Rep*. 2014 Sep;32(3):1094-100.
- 152.Cao FF, Xu LM, Zhang X, Wang Y, Li MQ, Uzan G, Peng B, Zhang DH. IP-FCM platform detects the existence and regulator-caused dissociation of components in naturally assembled HSP90 complex. *Cytometry A*. 2014 Apr;85(4):359-67.
- 153.Du Z, Yang Q, Zhou T, Liu L, Li S, Chen S, Gao C. D galactose induced mitochondrial DNA oxidative damage in the auditory cortex of rats. *Mol Med Rep*. 2014 Dec;10(6):2861-7.
- 154.Hu LT, Du ZD, Zhao GQ, Jiang N, Lin J, Wang Q, Xu Q, Cong L, Qiu S. Role of TREM-1 in response to *Aspergillus fumigatus* infection in corneal epithelial cells. *Int Immunopharmacol*. 2014 Sep 19; 23(1):288-93.
- 155.Lu Y, Long M, Zhou S, Xu Z, Hu F, Li M. Mibepradil reduces blood glucose concentration in db/db mice. *Clinics (Sao Paulo)*. 2014 Jan;69(1):61-7.
- 156.Lu B, Shao L, Feng S, Wang T, Zhong Y. The β -alanyl-monoamine synthase ebony is regulated by schizophrenia susceptibility gene dysbindin in *Drosophila*. *Sci China Life Sci*. 2014 Jan;57(1):46-51.
- 157.Lu X, Chen Y, Zeng T, Chen L, Shao Q, Qin W. Knockout of the HCC suppressor gene Lass2 downregulates the expression level of miR-694. *Oncol Rep*. 2014 Dec;32(6):2696-702.
- 158.Wang Y, Liu D, Zhao H, Jiang H, Luo C, Wang M, Yin H. Cordyceps sinensis polysaccharide CPS-2 protects human mesangial cells from PDGF-BB-induced proliferation through the PDGF/ERK and TGF- β 1/Smad pathways. *Mol Cell Endocrinol*. 2014 Feb 15; 382(2):979-88.
- 159.Wang ZC, Sun HJ, Li KH, Fu C, Liu MZ. Icariin promotes directed chondrogenic differentiation of bone marrow mesenchymal stem cells but not hypertrophy in vitro. *Exp Ther Med*. 2014 Nov;8(5):1528-1534.
- 160.Shi R, Zhou JY, Zhou H, Zhao Z, Liang SH, Zheng WL, Ma WL. The role of PinX1 in growth control of breast cancer cells and its potential molecular mechanism by mRNA and lncRNA expression profiles screening. *Biomed Res Int*. 2014;2014:978984.
- 161.Zhang Y, Zhu S, Yi L, Liu Y, Cui H. Neurotensin receptor1 antagonist SR48692 reduces proliferation by inducing apoptosis and cell cycle arrest in melanoma cells. *Mol Cell Biochem*. 2014 Apr;389(1-2):1-8.
- 162.Linghu L, Fan H, Hu Y, Zou Y, Yang P, Lan X, Liao Z, Chen M. Mirabiljalone E: a novel rotenoid from *Mirabilis himalaica* inhibited A549 cell growth in vitro and in vivo. *J Ethnopharmacol*. 2014 Aug 8;155(1):326-33.
- 163.Dong L, Wang X, Tan J, Li H, Qian W, Chen J, Chen Q, Wang J, Xu W, Tao C, Wang S. Decreased expression of microRNA-21 correlates with the imbalance of Th17 and Treg cells in patients with rheumatoid arthritis. *J Cell Mol Med*. 2014 Nov;18(11):2213-24.
- 164.Zhao G, Li J, Wang J, Shen X, Sun J. Aquaporin 3 and 8 are down-regulated in TNBS-induced rat colitis. *Biochem Biophys Res Commun*. 2014 Jan 3;443(1):161-6.
- 165.Jin Q, Jiang S, Wu YL, Bai T, Yang Y, Jin X, Lian LH, Nan JX. Hepatoprotective effect of cryptotanshinone from *Salvia miltiorrhiza* in D-galactosamine/lipopolysaccharide-induced fulminant hepatic failure. *Phytomedicine*. 2014 Jan 15;21(2):141-7.
- 166.Yang Z, Zhang N, Liu Y, Shen H, Lin C, Lin L, Yuan B. TLR4-mediated autophagy contributes to microglial activation and inflammatory injury in mouse models of intracerebral haemorrhage. *Neuropathol Appl Neurobiol*. 2015 Jun;41(4):e95-106.
- 167.Fan X, Zhang Y, Dong H, Wang B, Ji H, Liu X. Trilobatin attenuates the LPS-mediated inflammatory response by suppressing the NF- κ B signaling pathway. *Food Chem*. 2015 Jan 1;166:609-15.
- 168.Li H, Da LJ, Fan WD, Long XH, Zhang XQ. Transcription factor glioma-associated oncogene homolog 1 is required for transforming growth factor- β 1-induced epithelial-mesenchymal transition of non-small cell lung cancer cells. *Mol Med Rep*. 2015 May;11(5):3259-68.
- 169.Liu XL, Hu JY, Hu MY, Zhang Y, Hong ZY, Cheng XQ, Chen J, Pang DW, Liang Y. Sequence-dependent abnormal aggregation of human Tau fragment in an inducible cell model. *Biochim Biophys Acta*. 2015 Aug;1852(8):1561-73.
- 170.Li M, Ma Y, Huang P, Du A, Yang X, Zhang S, Xing C, Liu F, Cao J. Lentiviral DDX46 knockdown inhibits growth and induces apoptosis in human colorectal cancer cells. *Gene*. 2015 Apr 15;560(2):237-44.
- 171.Chen D, Liu J, Chen W, Shi S, Zhang W, Zhang L. Expression and ontogeny of growth hormone (Gh) in the protogynous hermaphroditic ricefield eel (*Monopterus albus*). *Fish Physiol Biochem*. 2015 Dec;41(6):1515-25.
- 172.Dong F, Wang G, Hou L, Liu Z, Chao T, Wang J. miR-135a Targets and Regulates Prolactin Receptor Gene in Goat Mammary Epithelial Cells. *DNA Cell Biol*. 2015 Aug;34(8):534-40.
- 173.Yan H, Zhao L, Wu X, Liu H, Wu C, Li Y, Zheng W, Jiang H. Inflammation and pathological damage to the lungs of mice are only partially reversed following smoking cessation on subacute exposure to cigarette smoke. *Mol Med Rep*. 2015 Jun;11(6):4246-54.
- 174.Xia LU, He H, Guo H, Qing Y, He CQ. Effects of ultrasound on estradiol level, bone mineral density, bone biomechanics and matrix metalloproteinase-13 expression in ovariectomized rabbits. *Exp Ther Med*. 2015 Oct;10(4):1429-1436.
- 175.Huang J, Pan W, Ou D, Dai W, Lin Y, Chen Y, Chen X. LC3B, a Protein That Serves as an Autophagic Marker, Modulates Angiotensin II-induced Myocardial Hypertrophy. *J Cardiovasc Pharmacol*. 2015 Dec; 66(6):576-83.
- 176.Ke XX, Zhang D, Zhao H, Hu R, Dong Z, Yang R, Zhu S, Xia Q, Ding HF, Cui H. Phox2B correlates with MYCN and is a prognostic marker for neuroblastoma development. *Oncol Lett*. 2015 Jun;9(6):2507-14.
- 177.Zheng X, Gao Y, Zhang Q, Liu Y, Peng Y, Fu M, Ji Y. Identification of transcription factor AML-1 binding site upstream of human cytomegalovirus UL111A gene. *PLoS One*. 2015 Feb 6;10(2):e0117773.
- 178.Fan X, Zhang Y, Dong H, Wang B, Ji H, Liu X. Trilobatin attenuates the LPS-mediated inflammatory response by suppressing the NF- κ B signaling pathway. *Food Chem*. 2015 Jan 1;166:609-15.
- 179.Wang Y, Liu Y, Li G, Su Z, Ren S, Tan P, Zhang X, Qiu Y, Tian Y. Ephrin type A receptor 2 regulates sensitivity to paclitaxel in nasopharyngeal carcinoma via the phosphoinositide 3 kinase/Akt signalling pathway. *Mol Med Rep*. 2015 Feb;11(2):924-30.
- 180.Gao L, Qi HB, Kc K, Zhang XM, Zhang H, Baker PN. Excessive autophagy induces the failure of trophoblast invasion and vasculature: possible relevance to the pathogenesis of preeclampsia. *J Hypertens*. 2015 Jan;33(1):106-17.
- 181.Shang J, Fan X, Liu H. The role of mechano-growth factor E peptide in the regulation of osteosarcoma. *Oncol Lett*. 2015 Aug;10(2):697-704.
- 182.Li JW, He SY, Feng ZZ, Zhao L, Jia WK, Liu P, Zhu Y, Jian Z, Xiao YB. MicroRNA-146b inhibition augments hypoxia-induced cardiomyocyte apoptosis. *Mol Med Rep*. 2015 Nov;12(5):6903-10.
- 183.Zhou H, Yang J, Xin T, Zhang T, Hu S, Zhou S, Chen G, Chen Y. Exendin-4 enhances the migration of adipose-derived stem cells to neonatal rat ventricular cardiomyocyte-derived conditioned medium via the phosphoinositide 3-kinase/Akt-stromal cell-derived factor-1 α /CXC chemokine receptor 4 pathway. *Mol Med Rep*. 2015 Jun;11(6):4063-72.
- 184.Peng Y, Lai M, Lou Y, Liu Y, Wang H, Zheng X. Efficient induction of cross-presenting human B cell by transduction with human adenovirus type 7 vector. *Immunol Lett*. 2015 Nov 24;169:41-51.

- 185.Zhang D, Zhou XH, Zhang J, Zhou YX, Ying J, Wu GQ, Qian JH. Propofol promotes cell apoptosis via inhibiting HOTAIR mediated mTOR pathway in cervical cancer. *Biochem Biophys Res Commun.* 2015 Dec 25;468(4):561-7.
- 186.Du Z, Yang Q, Liu L, Li S, Zhao J, Hu J, Liu C, Qian D, Gao C. NADPH oxidase 2-dependent oxidative stress, mitochondrial damage and apoptosis in the ventral cochlear nucleus of D-galactose-induced aging rats. *Neuroscience.* 2015 Feb 12;286:281-92.
- 187.Zhang ZS, Yang DY, Fu YB, Zhang L, Zhao QP, Li G. Knockdown of CkrL by shRNA deteriorates hypoxia/reoxygenation-induced H9C2 cardiomyocyte apoptosis and survival inhibition Via Bax and downregulation of P-Erk1/2. *Cell Biochem Funct.* 2015 Mar;33(2):80-8.
- 188.Liu F, Zhang T, Zou S, Jiang B, Hua D. B7 H3 promotes cell migration and invasion through the Jak2/Stat3/MMP9 signaling pathway in colorectal cancer. *Mol Med Rep.* 2015 Oct;12(4):5455-60.
- 189.Liang GJ, Zhang XF, Wang JJ, Sun YC, Sun XF, Cheng SF, Li L, De Felici M, Shen W. Activin A Accelerates the Progression of Fetal Oocytes Throughout Meiosis and Early Oogenesis in the Mouse. *Stem Cells Dev.* 2015 Oct 15;24(20):2455-65.
- 190.Deng ZY, Hu MM, Xin YF, Gang C. Resveratrol alleviates vascular inflammatory injury by inhibiting inflammasome activation in rats with hypercholesterolemia and vitamin D2 treatment. *Inflamm Res.* 2015 May;64(5):321-32.
- 191.Zeng J, Shi R, Cai CX, Liu XR, Song YB, Wei M, Ma WL. Increased expression of Six1 correlates with progression and prognosis of prostate cancer. *Cancer Cell Int.* 2015 Jun 20;15:63.
- 192.Wang ZH, Zhang JL, Duan YL, Zhang QS, Li GF, Zheng DL. MicroRNA-214 participates in the neuroprotective effect of Resveratrol via inhibiting α -synuclein expression in MPTP-induced Parkinson's disease mouse. *Biomed Pharmacother.* 2015 Aug;74:252-6.
- 193.Hou XF, Pan H, Xu LH, Zha QB, He XH, Ouyang DY. Piperine Suppresses the Expression of CXCL8 in Lipopolysaccharide-Activated SW480 and HT-29 Cells via Downregulating the Mitogen-Activated Protein Kinase Pathways. *Inflammation.* 2015;38(3):1093-102.
- 194.Chen S, Wang Y, Gong G, Chen J, Niu Y, Kong W. Ethyl pyruvate attenuates murine allergic rhinitis partly by decreasing high mobility group box 1 release. *Exp Biol Med (Maywood).* 2015 Nov; 240(11):1490-9.
- 195.Wu Y, Feng G, Song J, Zhang Y, Yu Y, Huang L, Zheng L, Deng F. TrAmplification of Human Dental Follicle Cells by piggyBac Transposon - Mediated Reversible Immortalization System. *PLoS One.* 2015 Jul 14;10(7):e0130937.
- 196.Li W, He QZ, Wu CQ, Pan XY, Wang J, Tan Y, Shan XY, Zeng HC. PFOS Disturbs BDNF-ERK-CREB Signalling in Association with Increased MicroRNA-22 in SH-SY5Y Cells. *Biomed Res Int.* 2015;2015:302653.
- 197.Li X, Han F, Shi Y. IRE1 α -XBP1 Pathway Is Activated Upon Induction of Single-Prolonged Stress in Rat Neurons of the Medial Prefrontal Cortex. *J Mol Neurosci.* 2015 Sep;57(1):63-72.
- 198.Ou L, Fang L, Tang H, Qiao H, Zhang X, Wang Z, Dickkopf Wntsignaling pathway inhibitor 1 regulates the differentiation of mouse embryonic stem cells in vitro and in vivo. *Mol Med Rep.* 2016 Jan;13(1):720-30.
- 199.Zhang DQ, Sun P, Jin Q, Li X, Zhang Y, Zhang YJ, Wu YL, Nan JX, Lian LH. Resveratrol Regulates Activated Hepatic Stellate Cells by Modulating NF- κ B and the PI3K/Akt Signaling Pathway. *J Food Sci.* 2016 Jan;81(1):H240-5.
- 200.Li D, Wang Q, Zhang Y, Li D, Yang D, Wei S, Su L, Ye T, Zheng X, Peng K, Zhang L, Zhang Y, Yang Y, Ma S. A Novel Swine Model of Spontaneous Hypertension With Sympathetic Hyperactivity Responds Well to Renal Denervation. *Am J Hypertens.* 2016 Jan;29(1):63-72.
- 201.Du Z, Li S, Liu L, Yang Q, Zhang H, Gao C. NADPH oxidase 3-associated oxidative stress and caspase 3-dependent apoptosis in the cochleae of D-galactose-induced aged rats. *Mol Med Rep.* 2016 Jan; 13(1):1056.
- 202.Li X, Li T, Chen D, Zhang P, Song Y, Zhu H, Xiao Y, Xing Y. Overexpression of lysine-specific demethylase 1 promotes androgen-independent transition of human prostate cancer LNCaP cells through activation of the AR signalling pathway and suppression of the p53 signalling pathway. *Oncol Rep.* 2016 Jan;35(1):584-92.
- 203.Yan T, Zhao Y, Zhang X. Acetaldehyde Induces Cytotoxicity of SH-SY5Y Cells via Inhibition of Akt Activation and Induction of Oxidative Stress. *Oxid Med Cell Longev.* 2016;2016:4512309.
- 204.Wen J, Zhao Y, Guo L. Orexin A induces autophagy in HCT-116 human colon cancer cells through the ERK signaling pathway. *Int J Mol Med.* 2016 Jan;37(1):126-32.

注：更多使用本产品的文献请参考产品网页。

Version 2017.10.18