



碧云天生物技术/Beyotime Biotechnology
 订货热线：400-168-3301或800-8283301
 订货e-mail：order@beyotime.com
 技术咨询：info@beyotime.com
 网址：http://www.beyotime.com

NAD Kinase (Crude Enzyme)

产品编号	产品名称	包装
P3672-100ml	NAD Kinase (Crude Enzyme)	100ml
P3672-1L	NAD Kinase (Crude Enzyme)	1L

产品简介：

- NAD Kinase, 中文名为NAD激酶, 增加NADPH的供应及异亮氨酸的合成。本产品为大肠杆菌表达的NAD激酶, 并经简单纯化获得的可以确保达到一定酶活力的粗酶液。
- 由于本产品需新鲜制备, 确认订购后约6个工作日才可以发货。个别情况首次制备出现问题, 发货时间会顺延。
- 本产品可以提供十公斤、百公斤乃至吨级的粗酶液, 如有需求请联系碧云天。
- NAD⁺ kinase (EC 2.7.1.23, NADK) is an enzyme that converts nicotinamide adenine dinucleotide (NAD⁺) into NADP⁺ through phosphorylating the NAD⁺ coenzyme. NADP⁺ is an essential coenzyme that is reduced to NADPH primarily by the pentose phosphate pathway to provide reducing power in biosynthetic processes such as fatty acid biosynthesis and nucleotide synthesis. The structure of the NADK from the archaean *Archaeoglobus fulgidus* has been determined. In humans, the genes NADK and MNADK encode NAD⁺ kinases localized in cytosol and mitochondria, respectively. Similarly, yeast have both cytosolic and mitochondrial isoforms, and the yeast mitochondrial isoform accepts both NAD⁺ and NADH as substrates for phosphorylation. This product with the indicated enzyme activity was briefly purified from engineered *E. coli*.
- 产品详细信息见下表：

About this product	
Name	NAD Kinase (Crude Enzyme); NAD激酶(粗酶液)
Application	增加NADPH的供应及异亮氨酸的合成
Appearance	Clear to translucent yellow solution
Enzyme activity	Undetermined
About this enzyme	
Name	NAD Kinase; NAD激酶
CAS Number	9032-66-0
EC Number	2.7.1.23
Enzymatic Reaction	ATP + NAD ⁺ = ADP + NADP ⁺
Synonyms	DPN kinase; nicotinamide adenine dinucleotide kinase (phosphorylating); nicotinamide adenine dinucleotide kinase; NAD kinase; NADK
Systematic name	ATP:NAD ⁺ 2'-phosphotransferase
Cofactor(s)	NAD ⁺
Application	synthesis; agriculture; analysis

包装清单：

产品编号	产品名称	包装
P3672-100ml	NAD Kinase (Crude Enzyme)	100ml
P3672-1L	NAD Kinase (Crude Enzyme)	1L
—	说明书	1份

保存条件：

-20°C或更低温度保存, 至少1个月有效。

注意事项：

- 由于本产品需新鲜制备, 在您确认订购后约6个工作日才能发货。个别情况首次制备出现问题, 发货时间会顺延。
- 粗酶液的每次冻融均可能会引起部分失活, 所以收到酶液后请根据需要进行分装, 并置于-20°C或更低温度保存。
- 随着保存时间的延长, 酶活力会有一定程度的下降, 收到产品后应尽快使用。
- 本产品在生产和保存的过程中可能会有混浊或沉淀产生, 融化后混匀即可, 不影响正常使用。
- 本产品仅限于专业人员的科学研究用, 不得用于临床诊断或治疗, 不得用于食品或药品, 不得存放于普通住宅内。
- 为了您的安全和健康, 请穿实验服并戴一次性手套操作。

使用说明:

1. 收到产品后请立即使用或按照说明书推荐的条件保存。随着保存时间的延长，酶活力会有一定程度的下降。
2. 具体的最佳工作条件请自行参考相关文献，或者通过实验进行摸索和优化。

相关产品:

产品编号	产品名称	包装
P3672-100ml	NAD Kinase (Crude Enzyme)	100ml
P3672-1L	NAD Kinase (Crude Enzyme)	1L

Version 2018.08.01